


Ficha Técnica Perfil IPE



H= Altura T= Espesor del ala S= Espesor del alma

B= Base R= Ángulo

Elaborados bajo la norma ASTM - A36 / EN 10025-2-S27JR+AR

PERFIL IPE	Dimensiones (mm)					ÁREA (cm ²)	PESO (Kg/m)	Momento respecto a los ejes					
	H (mm)	B (mm)	S (mm)	T (mm)	R (mm)			EJE-X-X			EJE-Y-Y		
								Ix cm ⁴	Sx cm ³	Rx cm	Iy cm ⁴	Sy cm ³	Ry cm
80	80	46	3.8	5.2	5	7.64	6.0	80.1	20.0	3.24	8.48	3.69	1.05
100	100	55	4.1	5.7	7	10.30	8.1	171	34.2	4.07	15.90	5.78	1.24
120	120	64	4.4	6.3	7	13.20	10.4	318	53.0	4.90	27.60	8.64	1.45
140	140	73	4.7	6.9	7	16.40	12.9	541	77.3	5.74	44.90	12.30	1.65
160	160	82	5.0	7.4	9	20.10	15.8	869	109.0	6.58	68.20	16.60	1.84
180	180	91	5.3	8.0	9	23.90	18.8	1320	146.0	7.42	101.00	22.10	2.05
200	200	100	5.6	8.5	12	28.50	22.4	1940	194.0	8.26	142.00	28.40	2.23
220	220	110	5.9	9.2	12	33.40	26.2	2770	252.0	9.11	205.00	37.20	2.48
240	240	120	6.2	9.8	15	39.10	30.7	3890	324.0	9.97	283.00	47.20	2.69
270	270	135	6.6	10.2	15	45.90	36.1	5790	429.0	11.20	419.00	62.10	3.02
300	300	150	7.1	10.7	15	53.80	42.2	8360	557.0	12.50	603.00	80.40	3.35
330	330	160	7.5	11.5	18	62.60	49.1	11800	713.0	13.70	787.00	98.40	3.55
360	360	170	8.0	12.7	18	72.70	57.1	16300	904.0	15.00	1040.00	123.00	3.79
400	400	180	8.6	13.5	21	84.50	66.3	23100	1160.0	16.50	1320.00	146.00	3.95
450	450	190	9.4	14.6	21	98.80	77.6	33700	1500.0	18.50	1670.00	176.00	4.12
500	500	200	10.2	16.0	21	116.00	90.7	48200	1930.0	20.40	2140.00	214.00	4.30
550	550	210	11.1	17.2	24	134.00	106.0	67100	2440.0	22.30	2660.00	254.00	4.45
600	600	220	12.0	19.0	24	156.00	122.0	92100	3070.0	24.30	3380.00	308.00	4.66