


Ficha Técnica Perfil HEB



H= Altura T= Espesor del ala S= Espesor del alma

B= Base R= Ángulo

Elaborados bajo la norma ASTM - A36 / EN 10025-2-S27JR+AR

PERFIL HEB	Dimensiones (mm)					ÁREA (cm ²)	PESO (Kg/m)	Momento respecto a los ejes					
	H (mm)	B (mm)	S (mm)	T (mm)	R (mm)			EJE-X-X			EJE-Y-Y		
								Ix cm ⁴	Sx cm ³	Rx cm	Iy cm ⁴	Sy cm ³	Ry cm
100	100	100	6.0	10.0	12	26.0	20.4	449	89.9	4.15	167	33.4	2.53
120	120	120	6.5	11.0	12	34.0	26.7	864	144	5.04	317	52.9	3.05
140	140	140	7.0	12.0	12	43.0	33.7	1510	216	5.93	549	78.5	3.58
160	160	160	8.0	13.0	15	54.3	42.6	2490	311	6.78	889	111	4.05
180	180	180	8.5	14.0	15	65.3	51.2	3830	426	7.66	1360	151	4.57
200	200	200	9.0	15.0	18	78.1	61.3	5700	570	8.54	2000	200	5.06
220	220	220	9.5	16.0	18	91.0	71.5	8090	736	9.43	2840	258	5.59
240	240	240	10.0	17.0	21	106	83.2	11300	938	10.3	3920	327	6.08
260	260	260	10.0	17.5	24	118	93.0	14900	1150	11.2	5130	395	6.58
280	280	280	10.5	18.0	24	131	103	19300	1380	12.1	6590	471	7.08
300	300	300	11.0	19.0	27	149	117	25200	1680	13.0	8560	571	7.58
320	320	300	11.5	20.5	27	161	127	30800	1930	13.8	9230	616	7.57
340	340	300	12.0	21.5	27	171	134	36700	2160	14.6	9680	646	7.53
360	360	300	12.5	22.5	27	181	142	43200	2400	15.5	10100	676	7.49
400	400	300	13.5	24.0	27	198	155	57700	2880	17.1	10800	721	7.39
450	450	300	14.0	26.0	27	218	171	79900	3550	19.1	11700	781	7.33
500	500	300	14.5	28.0	27	239	187	107000	4290	21.2	12600	841	7.27
550	550	300	15.0	29.0	27	254	199	137000	4970	23.2	13100	871	7.17
600	600	300	15.5	30.0	27	270	212	171000	5700	25.2	13500	902	7.08
650	650	300	16.0	31.0	27	286	225	211000	6480	27.1	14000	932	6.99
700	700	300	17.0	32.0	27	306	241	257000	7340	29.0	14400	962	6.86
800	800	300	17.5	33.0	30	334	262	359000	8980	32.8	14900	993	6.68
900	900	300	18.5	35.0	30	371	291	494000	11000	36.5	15800	1050	6.52
1000	1000	300	19.0	36.0	30	400	314	645000	12900	40.1	16300	1080	6.38

